



neolift

- Aesthetic appearance
- Finishing: White, Grey and Light Grey
- Gradual opening ability
- Soft closing specification guarantees silently and smoothly working while with a full-cover function
- ABS Material
- Its smooth surface facilitates the cleaning process






Neolift

Description	Packaging Type	Colour	Code
Neolift 35 Newton	Pair	White	12403422
Neolift 45 Newton	Pair	White	12403432
Neolift 50 Newton	Pair	White	12403442
Neolift 60 Newton	Pair	White	12403452

Product Selection Table


Door height (mm) and weight (Kg)*

*Weights include handles
For the intercepting areas a more powerful mechanism is recommended.




Door Height: DH (mm)	35 N "C"	45 N "C"	50 N "C"	60 N "C"
350	3.55 - 5.50	5.50 - 6.50	5.60 - 7.15	6.80 - 7.80
360	3.45 - 5.40	5.40 - 6.35	5.50 - 7.10	6.70 - 7.80
370	3.40 - 5.25	5.25 - 6.20	5.35 - 7.00	6.65 - 7.65
380	3.30 - 5.10	5.10 - 6.05	5.15 - 6.90	6.55 - 7.60
390	3.25 - 4.95	4.95 - 5.90	5.00 - 6.85	6.45 - 7.60
400	3.20 - 4.75	4.75 - 5.75	4.95 - 6.75	6.35 - 7.50
410	3.15 - 4.60	4.60 - 5.60	4.85 - 6.65	6.25 - 7.40
420	3.10 - 4.45	4.45 - 5.50	4.75 - 6.55	6.15 - 7.40
430	3.05 - 4.30	4.30 - 5.35	4.70 - 6.45	6.05 - 7.35
440	3.00 - 4.20	4.20 - 5.20	4.60 - 6.30	5.95 - 7.30
450	2.95 - 4.10	4.10 - 5.10	4.50 - 6.20	5.85 - 7.20
460	2.90 - 4.00	4.00 - 5.00	4.40 - 6.05	5.75 - 7.00
470	2.85 - 3.95	3.95 - 4.85	4.30 - 5.95	5.65 - 6.85
480	2.80 - 3.85	3.85 - 4.75	4.25 - 5.80	5.50 - 6.70
490	2.75 - 3.80	3.80 - 4.65	4.15 - 5.70	5.40 - 6.50
500	2.70 - 3.75	3.75 - 4.55	4.05 - 5.55	5.30 - 6.35
510	2.65 - 3.65	3.65 - 4.50	4.00 - 5.45	5.20 - 6.25
520	2.60 - 3.65	3.65 - 4.40	3.95 - 5.35	5.10 - 6.10
530	2.55 - 3.60	3.60 - 4.30	3.85 - 5.25	5.00 - 6.00
540	2.50 - 3.55	3.55 - 4.25	3.80 - 5.15	4.90 - 5.90
550	2.40 - 3.50	3.50 - 4.15	3.75 - 5.05	4.80 - 5.80
560	2.35 - 3.40	3.40 - 4.10	3.70 - 4.95	4.75 - 5.70
570	2.30 - 3.35	3.35 - 4.00	3.65 - 4.90	4.65 - 5.60
580	2.20 - 3.30	3.30 - 3.95	3.55 - 4.80	4.55 - 5.50
590	2.20 - 3.25	3.25 - 3.85	3.50 - 4.75	4.50 - 5.40
600	2.15 - 3.20	3.20 - 3.80	3.50 - 4.70	4.40 - 5.30
610	2.10 - 3.15	3.15 - 3.75	3.45 - 4.65	4.30 - 5.20
620	2.10 - 3.10	3.10 - 3.65	3.40 - 4.60	4.25 - 5.05
630	2.10 - 3.15	3.15 - 3.60	3.35 - 4.40	4.20 - 4.95
640	2.05 - 3.00	3.00 - 3.55	3.30 - 4.20	4.10 - 4.85
650	2.05 - 2.90	2.90 - 3.50	3.25 - 4.15	4.05 - 4.80
660	2.05 - 2.80	2.80 - 3.45	3.20 - 4.10	4.00 - 4.70
670	2.00 - 2.75	2.75 - 3.40	3.20 - 4.05	3.95 - 4.65
680	2.00 - 2.70	2.70 - 3.35	3.15 - 4.00	3.90 - 4.60
690	2.00 - 2.65	2.65 - 3.30	3.15 - 3.95	3.85 - 4.55
700	2.00 - 2.65	2.65 - 3.25	3.10 - 3.90	3.80 - 4.50
710	2.00 - 2.60	2.60 - 3.20	3.05 - 3.85	3.75 - 4.45
720	1.95 - 2.55	2.55 - 3.15	3.00 - 3.80	3.70 - 4.40
730	1.95 - 2.50	2.50 - 3.10	2.95 - 3.70	3.70 - 4.40
740	1.95 - 2.50	2.50 - 3.05	2.90 - 3.65	3.65 - 4.35
750	1.95 - 2.40	2.40 - 3.00	2.80 - 3.60	3.60 - 4.30
760			2.75 - 3.50	3.55 - 4.25
770			2.70 - 3.45	3.50 - 4.20
780			2.60 - 3.40	3.45 - 4.15
790			2.55 - 3.30	3.35 - 4.10
800			2.50 - 3.20	3.30 - 4.00

Parts



Cabinet Mounting Dimensions



Door Mounting Dimensions

